



MARK	SD	PLACE		
W	103B		QTY	GLASS
H			QTY	REMARKS
ITEMS		PRODUCTS	QTY.	REMARKS
ZERO UNIGEAR HINGE		#910DB	2	PINS
ZERO AUTO. DOOR BOTTOM		#366	2	
ZERO MEETING STILES		#440	2	
ZERO HEAD & JAMB		#7770	3	
CONCEALED DOOR CLOSERS		#2010	2	
DOOR COORDINATOR		#COR+#FB	1	
CREMONE LOCK:		(OPTION)	1	
ACTIVE: GT-6192				
INACTIVE: GT-6292				
DOOR STOPS			2	
ZERO SOUND SHEET		STC3003	2	6.3 mm T

ZERO SOUND SHEET
STC3003 3mm T

* INSIDE DOOR: G.W. 48KG/M3
* FINISH OF DOOR HARDWARE NEED TO BE SPECIFIED
* DOOR STOP MUST BE USED

* REINFORCEMENT MATERIALS AND SETTING ARE FOR REFERENCE ONLY

* WHEN AUTO DOOR OPERATOR IS USED. FOR HANDICAPED, SENIOR PEOPLE, HEADER FRAME MUST BE SUITABLE TO IT. SEE THE OPERATOR CATALOG

REMARKS
DOOR AND FRAME MUST BE FILLED WITH MORTAR,
GLASS WOOL OR ROCK WOOL

TITLE **DOUBLE FIRE DOOR STC-40**
(WITH CREMONE: STC-45)
CHECKED BY _____ DRAWN BY _____ SCALE 1/20 1/1

ZERO INTERNATIONAL, INC.
ZERO ASIA PACIFIC CO., LTD.

PROJECT _____
CUSTOMER _____ CONSULTANT _____

APPROVED _____
DATE _____ BY _____
PAGE _____
DRAWING NO. **ZR-103B STC-40 (STC45)**