



MARK	SD	PLACE			
W			QTY	GLASS	
H					
ITEMS			PRODUCTS	QTY.	REMARKS
		ZERO UNIGEAR HINGE	#910DB	1	
		ZERO AUTO. DOOR BOTTOM	#368	2	PULL OUT
		ZERO HEAD & JAMB	#7770	2	
		CONCEALED DOOR CLOSER	#2010	1	
		EXIT DEVICE (OPTION)		1	
		DOOR STOP		1	
		ZERO SOUND SHEET	STC3003		6.3+3 mmT

* INSIDE OF DOOR: G.W. 48KG/M3
 * FINISH OF DOOR HARDWARE NEED TO BE SPECIFIED
 * DOOR STOP MUST BE USED

* REINFORCEMENT MATERIALS AND SETTING ARE FOR REFERENCE ONLY

* WHEN AUTO DOOR OPERATOR IS USED. FOR HANDICAPED, SENIOR PEOPLE, HEADER FRAME MUST BE SUITABLE TO IT. SEE THE OPERATOR CATALOG

REMARKS DOOR AND FRAME MUST BE FILLED WITH MORTAR, GLASS WOOL OR ROCK WOOL NON FIRE RATED	TITLE SINGLE ACOUSTIC FIRE DOOR STC-45		PROJECT CUSTOMER	PAGE — △
	CHECKED BY	DRAWN BY		
ZERO INTERNATIONAL, INC. ZERO ASIA PACIFIC CO., LTD.			CONSULTANT	DRAWING NO. ZR-109 STC-45